

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | |
|-----------------------------|---|---------------------------------|
| In the application of |) | |
| |) | |
| Donald W. Kendrick |) | Examiner: Chuka Clement Ndubizu |
| |) | |
| Title: |) | |
| DETONATIVE CLEANING |) | Art Unit: 3743 |
| APPARATUS NOZZLE |) | |
| |) | Confirmation No. 6658 |
| Serial No.: 10/733,717 |) | |
| |) | |
| Filed On: December 11, 2003 |) | (Our Docket No. 7953-0020) |

Hartford, Connecticut, November 6, 2009

Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

PETITION FOR EXTENSION OF TIME
AND
AMENDMENT AND RESPONSE TO OFFICE ACTION

The following amendments and remarks are submitted in response to the Office Action dated May 7, 2009, having a period of response set to expire on November 7, 2009 with a three-month extension of time, which is hereby requested.

AMENDMENTS TO THE SPECIFICATION begin on page 2;
AMENDMENTS TO THE CLAIMS begin on page 4;
AMENDMENTS TO THE DRAWINGS begin on page 8; and
REMARKS begin on page 9.